



866 413-3156 toll free phone
 877 834-1231 toll free fax
 QUESTIONS? Please Contact Us!
 www.REPharmacy.com

Multiple Sclerosis Referral Form

Send your Rx to: _____ (optional)

Date Medication Needed: _____ Ship To: () Patient's Home () Prescriber's Office () Pick-Up (store location): _____ Injection training by pharmacy?

1) Patient & Insurance Information Please include copies of the FRONT and BACK of ALL insurance cards (prescription and medical) with this fax.

Patient Name: _____ Birth Date: _____ Sex: () Male () Female Height: _____ Weight: _____ ()lbs. ()kgs.
 Soc. Sec. #: _____ Preferred Phone: _____ Known Allergies: _____
 Address: _____ City: _____ State: _____ Zip: _____
 Insurance Info: _____ Policy Number: _____

2) Prescriber Information

Provider Name: _____ DEA #: _____ NPI #: _____ Tax ID#: _____
 Address: _____ Phone: _____ Fax: _____
 City, State, Zip: _____ Key Contact: _____ Phone: _____

3) Diagnosis/Clinical Information Please FAX recent clinical notes, labs and/or tests, with the prescription, to expedite the prior authorization.

Has patient previously been treated for this condition? () Yes () No Is patient currently on therapy? () Yes () No
 Current Medications: _____
 Will patient stop taking the above medication(s) before the new medication? () Yes () No Diagnosis (ICD-10 code): _____

4) Prescription Information

Avonex® (interferon beta-1a) 30mcg/vial kit **Avonex® (interferon beta-1a)** prefilled 30mcg/0.5mL
 Sig: 30mcg intramuscularly (IM) once a week
 Once-weekly dosing with 7.5mcg IM (week 1), then increase dose in increments of 7.5mcg IM once weekly (weeks 2 to 4) up to recommended dose (30mcg IM once weekly)
 Duration: _____

Rebif® (interferon beta-1a) 22mcg/0.5mL solution prefilled syringe
 Rebif® (interferon beta-1a) 44mcg/0.5mL solution prefilled syringe
 Rebif® (interferon beta-1a) Rebidose 22mcg/0.5mL solution auto-injector
 Rebif® (interferon beta-1a) Rebidose 44mcg/0.5mL solution auto-injector
 Rebif® (interferon beta-1a) Rebidose Titration Pack** solution auto-injector
 Rebif Titration Pack solution prefilled syringe**
 Sig: _____ mcg subcutaneously 3 times per week Duration: _____

Betaseron® (interferon beta-1b) 0.3mg kit **Extavia® (interferon beta-1b)** 0.3mg kit
 Sig: 0.0625mg subcutaneously every other day 0.25mg subcutaneously every other day
 Duration: _____

Plegridy® (peginterferon beta-1a) 125mcg/0.5mL solution pen-injector
 Plegridy® (peginterferon beta-1a) 125mcg/0.5mL solution prefilled syringe
 Plegridy® (peginterferon beta-1a) Starter Pack** solution pen-injector
 Plegridy® (peginterferon beta-1a) Starter Pack** solution prefilled syringe
 Sig: 63mcg subcutaneously on day 1; 94mcg subcutaneously on day 15; 125mcg subcutaneously on day 29 and every 14 days thereafter
 Maintenance Dose: 125mcg subcutaneously every 14 days Duration: _____

Copaxone® (glatiramer acetate) 20mg/mL solution prefilled syringe
 Copaxone® (glatiramer acetate) 40mg/mL solution prefilled syringe
 Sig: 20mg/mL subcutaneously once daily 40mg/mL 3 times per week (**Copaxone®** only) administered at least 48 hours apart
 Duration: _____

Ocrevus® (ocrelizumab)
 Sig: 300mg IV on day 1, followed by 300mg IV 2 weeks later; subsequent doses of 600mg IV are administered once every 6 months (beginning 6 months after the first 300mg dose)

5) Prescriber Signature Prescriber, please sign and date below.

By signing below, the prescriber gives consent to both, the prescription(s) above, as well as to RE Pharmacy to act as the prescriber's agent to begin and execute prior authorization process and to help patient apply to co-pay assistance programs, including all foundations and manufacturer assistance programs if necessary.

Dispense as written _____ Date _____ Substitution Permissible _____ Date _____

IMPORTANT NOTICE: This fax is intended to be delivered only to the named addressee and contains confidential information that may be protected health information under federal and state laws. If you are not the intended recipient, do not disseminate, distribute, or copy this fax. Please notify the sender immediately if you have received this document in error and then destroy this document immediately. In no event should such material be read or retained by anyone other than the named addressee, except by express authorization of the sender to the named addressee. Pursuant to VA/OH/MO/VT law, only 1 medication is permitted per order form. Please use a new form for additional items.

#of Prescriptions